

# ROOFING SELECTION GUIDE

Luxury, Designer & Traditional Roofing Shingles



**CertainTeed**  
SAINT-GOBAIN



*NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.*



# You know it when you see it.

It's not just a roof.  
It's a CertainTeed roof.

Quality. Durability. Style. Color.

When you select a roof for your home, there's a lot to consider.

That's when a roof becomes more than just a roof. The same way a home is more than just a house.

You want the best for your home and everything in it.

So why guess,  
when you can be **Certain?**

**CertainTeed**  
SAINT-GOBAIN

Insist upon the

# Integrity Roof System™



and get the ultimate in roof performance!



## A superior roof is stronger than the sum of its parts

Your roof should do more than shield the elements. It should protect your home, and more importantly, everything you care about.

The Integrity Roof System is designed to provide optimum performance, day after day, year after year. It's a full suite of roofing components engineered to complement each other and create an active defense against whatever gets in your home's way.

After all, the Integrity Roof System is backed by the power of CertainTeed – and better-quality components means you've got a roof system built to protect against even the most extreme conditions.

### 1. Waterproofing Underlayment

Waterproofing shingle underlayment prevents leaks from wind-driven rain and ice dams

### 2. Water-Resistant Underlayment

High-performance underlayment provides a water-resistant layer over the roof deck and a secondary barrier against leaks

### 3. Starter Shingles

Perfect starts every time and designed to work in tandem with the roof shingles above

### 4. Roof Shingles

Choose the best, covered by the strongest warranty in the business

### 5. Hip & Ridge Caps

Perfect finish for hip and ridge lines, complementing all CertainTeed shingles

### 6. Roof Ventilation

Engineered for ideal roof ventilation especially when matched with CertainTeed Intake Vents




# Technology that protects the beauty of your roof and strengthens its performance.

**StreakFighter**<sup>®</sup>  
Algae Resistance

## THE ULTIMATE IN STAIN PROTECTION.

Those streaks you see on other roofs in your neighborhood? That's algae, and it's a common eyesore on roofing throughout North America. CertainTeed's StreakFighter technology uses the power of science to repel algae before it can take hold and spread. StreakFighter's granular blend includes naturally algae-resistant copper, helping your roof maintain its curb appeal and look beautiful for years to come.


Granule with **StreakFighter** Technology




Introducing...

**ClimateFlex**<sup>®</sup>  
All-Weather Application

**Outstanding durability.** Featuring the latest advances in polymer science, CertainTeed's **ClimateFlex** technology works at a molecular level to make shingles strong and pliable. The rubber-like qualities of the **ClimateFlex** asphalt formula provides each shingle with improved hail resistance, cold-weather flexibility, and granule adhesion.




**POLYMER-BLENDED ASPHALT**  
Deeper-embedded granules with greater adhesion vs. standard asphalt, helping prevent UV damage



**ENHANCED PROTECTION**  
Highest industry-rated impact protection against hail & other weather-related impacts



**EXTREME ENDURANCE**  
Allows for easier cold-weather installation and greater weathering endurance than standard asphalt shingles



**INVESTING IN THE LONG-TERM**  
Enhanced leak protection and peace of mind with a Lifetime Limited Warranty, which may qualify your home for insurance discounts


# NailTrak<sup>®</sup>

Fast, Accurate, Visible

The new and improved **NailTrak** nailing line, a feature on CertainTeed designer shingles.

Now **NailTrak** is brighter than ever before, with high-visibility lines that stand out whether it's daybreak or dusk.


**NailTrak** removes the guesswork with three separately defined lines, creating a large area to guide your nailing and a smaller area for extreme steep-slope applications.



# QuadraBond<sup>™</sup>

Advanced Layering

CertainTeed's specially formulated adhesive adheres shingle layers at four points, more than any other manufacturer. This superior bond provides greater protection against shingle delamination to maximize performance over the life of the shingle in any climate.



# Luxury Shingles



Luxury shingles are the highest-quality laminated shingles available, offering a differentiated appearance or functionality that exceeds designer shingles. Apart from offering premium protection for weathering, luxury shingles provide stunning visuals, presenting the highest quality, coloration, and dimensionality. These products offer the most realistic representation of old-world wood shake and quarried slate roofing.

*Grand Manor, shown in Brownstone*









Grand Manor, shown in Brownstone


COLOR AVAILABILITY




Black Pearl




Brownstone



Colonial Slate



Gatehouse Slate



Georgian Brick



Sherwood Forest



Stonegate Gray



Weathered Wood

# GRAND MANOR®

- Two full-size, fiberglass-based shingles with randomly applied tabs
- Authentic depth and dimension of natural slate
- Virtual five-layer coverage when applied
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- High-Performance Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.


**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537




*Belmont, shown in Black Granite*


#### COLOR AVAILABILITY




Black Granite




Colonial Slate




Gatehouse Slate



Shenandoah



Stonegate Gray



Weathered Wood

## BELMONT®

- Authentic depth and dimension of natural slate
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- High-Performance Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5








#### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.



Carriage House, shown in Stonegate Gray

COLOR AVAILABILITY



# CARRIAGE HOUSE®

- Two full-size, fiberglass-based shingles
- Unique chamfered cut for scalloped appearance
- Four-layer coverage when applied
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537


**GRAND MANOR and CARRIAGE HOUSE SHINGLES**

These two shingles can be combined to create a myriad of custom patterns, emulating traditional slate roof designs.




Presidential Shake TL, shown in Charcoal Black


#### COLOR AVAILABILITY



Aged Bark




Autumn Blend




Charcoal Black



Classic Weathered Wood



Shadow Gray



Weathered Wood

## PRESIDENTIAL SHAKE® TL

- Three-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter**® algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### Wind Driven Rain Resistance:

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.


#### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537




Presidential Shake, shown in Aged Bark


COLOR AVAILABILITY




Aged Bark




Autumn Blend\*\*




Charcoal Black



Classic Weathered Wood\*\*



Shadow Gray\*\*



Weathered Wood\*\*

# PRESIDENTIAL SHAKE®

- Two-piece laminated fiberglass construction
- Distinctive sculpted, rustic look
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- Presidential Starter (required) and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

\*\* Color available in impact resistant version.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

**Impact Resistance:**

- Select colors (\*\*) available in version that meets UL2218 Class 4

**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537



# Designer Shingles



Also known as architectural or dimensional shingles, designer shingles are the most prevalent asphalt shingles installed in North America. These products are manufactured with two or more layers of asphalt that are fused together for a thicker and richer multi-dimensional appearance, and are engineered to replicate the aesthetics of wood shake and natural slate roofing. Designer shingles are typically heavier than strip shingles and have improved warranty protection.

*Highland Slate, shown in Fieldstone*








Landmark Premium, shown in Max Def Weathered Wood


COLOR AVAILABILITY




Max Def Burnt Sienna




Max Def Colonial Slate




Max Def Driftwood



Max Def Moire Black



Max Def Pewterwood



Max Def Weathered Wood

# LANDMARK® PREMIUM

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- **NailTrak®** extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462
- CSA standard A123.5

**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537

## COLOR AVAILABILITY

Max Def Burnt Sienna

Max Def Driftwood

Max Def Georgetown Gray

Max Def Heather Blend

Max Def Moire Black

Max Def Pewter

Max Def Resawn Shake

Max Def Weathered Wood

Silver Birch  
CRRC Product ID 0668-0072



NorthGate ClimateFlex, shown in Max Def Moire Black

# NORTHGATE® ClimateFlex®

- Two-piece laminated fiberglass-based construction
- Greater cold-weather flexibility, increased ductile properties, increased granule adhesion and enhanced crack resistance
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

### Impact Resistance:

- UL2218 Class 4



### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537




Landmark PRO, shown in Max Def Moire Black


#### COLOR AVAILABILITY



Max Def Atlantic Blue




Max Def Heather Blend




Max Def Burnt Sienna




Max Def Moire Black




Max Def Charcoal Black



Max Def Pewterwood




Max Def  
Cobblestone Gray




Max Def Resawn Shake




Max Def Colonial Slate




Max Def Shenandoah



Max Def Driftwood



Max Def  
Weathered Wood



Max Def  
Georgetown Gray

# LANDMARK® PRO

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty - residential\*
- 50-year limited transferable warranty - group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- **NailTrak®** extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

#### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

#### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

#### Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

#### Quality Standards:







- ICC-ES-ESR-1389 & ESR-3537

\* See warranty for specific details and limitations.



Landmark, shown in Georgetown Gray

COLOR AVAILABILITY

 Atlantic Blue	 Heather Blend
 Burnt Sienna	 Hunter Green
 Charcoal Black	 Moire Black
 Colonial Slate	 Pewterwood
 Cobblestone Gray	 Resawn Shake
 Cottage Red	 Silver Birch
 Driftwood	 Weathered Wood
 Georgetown Gray	

# LANDMARK®

- Two-piece laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Lifetime limited transferable warranty\*
- 10-year **StreakFighter®** algae-resistance warranty
- **NailTrak®** extra-wide nailing area for accurate installation
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required
- CertainTeed Starter and hip and ridge accessory available (see details in back of brochure)

\* See warranty for specific details and limitations.


CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

- Fire Resistance:**
  - UL Class A
  - UL certified to meet ASTM D3018 Type 1
- Wind Resistance:**
  - UL certified to meet ASTM D3018 Type 1
  - ASTM D3161 Class F
- Tear Resistance:**
  - UL certified to meet ASTM D3462
  - CSA standard A123.5
- Quality Standards:**
  - ICC-ES-ESR-1389 & ESR-3537




Roof - Highland Slate, shown in Fieldstone  
 Siding - Cedar Impressions Double 7" Perfection Shingles, shown in Seagrass


COLOR AVAILABILITY




Black Granite




Fieldstone




Max Def Weathered Wood



New England Slate



Smokey Quartz



Tudor Brown

# HIGHLAND SLATE®

- Single layer fiberglass-based construction
- Blended shades and dimensional appearance of natural slate
- 8" exposure, 18" x 36" size
- Lifetime limited transferable warranty – residential\*
- 50-year limited transferable warranty – group-owned or commercial\*
- 15-year **StreakFighter®** algae-resistance warranty
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Certified to meet ASTM D3018 Type 1
- UL 790 Class A
- ASTM E 108 Class A

**Wind Resistance:**

- UL 2390/ASTM D 6381 Class H
- ASTM D3161 Class F

**Tear Resistance:**

- UL Certified to meet ASTM D3462
- CSA Standard A123.5

**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

**Quality Standards:**

- ICC-ES-ESR-1389 & ESR-3537



# Traditional Shingles

XT25, shown in Weathered Wood

## CERTAINTEED XT™ 25 COLORS ONLY AVAILABLE IN U.S.

- Fiberglass composition
- Designed for long-lasting performance and durability
- 25-year limited transferable warranty\*
- 10-year **StreakFighter**® warranty
- 5-year SureStart™ protection
- 5-year 60 mph wind-resistance warranty

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

### Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

### Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

### Tear Resistance:

- UL certified to meet ASTM D3462

### Wind Driven Rain Resistance:








- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

### Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

In addition to a full contingent of luxury and designer shingles, CertainTeed also offers XT25 traditional shingles, designed for long-lasting performance and durability.


### COLOR AVAILABILITY









COLOR AVAILABILITY



Black



Oakwood




Cedar Brown




Silver Lining



Cinnamon Frost




Slate Gray




Dove Gray



Star White




Heather Blend




Tile Red Blend




Moire Black



Timber Blend



Nickel Gray



Weathered Wood

# CERTAINTEED XT™ 25

AVAILABLE IN CENTRAL AND SE PA., AND SOUTHERN NJ AREAS ONLY

In addition to a full contingent of luxury and designer shingles, CertainTeed also offers XT25 traditional shingles, designed for long-lasting performance and durability.

- Fiberglass composition
- 25-year limited transferable warranty\*
- 10-year **StreakFighter**® warranty
- 5-year SureStart™ protection
- 5-year 60 mph wind-resistance warranty

\* See warranty for specific details and limitations.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

**Fire Resistance:**

- UL Class A
- UL certified to meet ASTM D3018 Type 1

**Wind Resistance:**

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

**Tear Resistance:**

- UL certified to meet ASTM D3462

**Wind Driven Rain Resistance:**

- Miami-Dade Product Control Acceptance: Please reference [www.certainteed.com](http://www.certainteed.com) to determine approved products by manufacturing location.

**Quality Standards:**


- ICC-ES-ESR-1389 & ESR-3537

# HIP AND RIDGE ACCESSORIES



## Shadow Ridge®

- Used for hip and ridge capping
- Single-layer coverage for product versatility
- Sealant strip for maximum adherence
- Dimensions are 12" x 12", with a 5" exposure
- Can be used on shingle-over vents or directly over centerline of hip or ridge
- Available in complementary product colors (see individual Roofing Plant Catalogs for color availability)
- Available in ClimateFlex version to be used with ClimateFlex shingles.




## Shangle® Ridge

- Hip and ridge capping
- Two full layers
- 12" width allows application over standard ridge vents
- Full 8" exposure
- Matches all Grand Manor, Highland Slate, Carriage House and Belmont colors
- Algae resistant



## Cedar Crest®

- Dimensions are (overall) 12" x 36", separated into individual pieces 12" x 12", with an 8" exposure
- Covers 20 lineal feet per bundle
- Matches Landmark Series, Presidential Shake, Presidential Shake TL, Highland Slate and Belmont colors



# Color Companion Products™ for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in colors that complement some of the most popular CertainTeed shingles.



**RATED #1 BY BUILDING & REMODELING PROFESSIONALS**




## What's behind our #1 rating?

Builders and remodelers across America know certain things to be true of CertainTeed. For starters, we've been in the roofing business for over 100 years. We have thousands of satisfied homeowners. The process of building that satisfaction begins the moment you turn to us.

CertainTeed offers you the broadest range of color and style choices. But you'll see it's not style over substance. You'll get a roof that's made from the highest quality materials and backed by a strong warranty program. It's our promise to you: quality made certain, satisfaction guaranteed.

# Underlayment Protection

## WINTERGUARD®



When snow and ice melt, trapped water can infiltrate to damage the roof deck and building interior.

WinterGuard is installed under shingled roofing to prevent water damage from ice dams, as well as wind-driven rain.

WinterGuard Sand and WinterGuard Granular are designed for use on roof decks as a waterproofing underlayment beneath shingle, slate and tile roofs to prevent leakage due to water backup from ice dams or wind-driven rain. WinterGuard HT, an advanced waterproofing underlayment, is specially formulated to resist high roof temperatures and is the only WinterGuard product to be warranted for use under metal roofs. WinterGuard is most commonly used in critical areas such as roof eaves, valleys and low-slope applications.

WinterGuard is classified by Underwriters Laboratories (UL) to be a suitable underlayment for use in any UL Class A, B or C fire rated shingle system, and it is manufactured to meet ASTM D1970.

## WINTERGUARD® METAL

WinterGuard Metal self-adhering underlayment has a tough, tear-resistant film on its top surface that will not scratch roofing metal applied over it. The adhesive bottom surface of WinterGuard Metal is protected with a disposable silicone-coated release film, which is split longitudinally down the middle for easier application. Manufactured to meet ASTM D1970.

*For specific details and limitations, refer to the actual product warranties.*

## DIAMONDDECK®

DiamondDeck is a synthetic, scrim-reinforced, water-resistant underlayment that can be used beneath shingle, shake, metal, or slate roofing. It is manufactured to provide best-in-class performance in terms of both weather protection and contractor safety. 10-square roll (4-foot wide and 250-foot long) is easier to handle and faster to apply than standard felt rolls.

## ROOFRUNNER®

Lightweight synthetic polymer-based underlayment outperforms felt and outclasses other synthetics. Designed for use on roof decks as a water-resistant layer beneath asphalt roofing shingles, this scrim-reinforced underlayment includes a special top surface treatment that provides excellent slip resistance, even when wet. Large roll size - 4ft wide x 250 ft long - speeds application.



# SureStart™ Protection

Because CertainTeed roofing products are manufactured to the highest quality standards, we confidently include the additional assurance of SureStart™ protection with all CertainTeed shingles. SureStart provides the strongest protection you can get in the vital early years after your new roof has been installed.

Simply put, if a manufacturing defect is discovered during the SureStart period, CertainTeed will provide reimbursement of 100% of the cost of the shingles and labor to repair the defective shingles or apply new shingles to replace the defective shingles.

See actual warranty for details and limitations.

Lifetime Limited Warranty Shingles Coverage	3-STAR Protection 20 years	4-STAR Protection 50 years*	5-STAR Protection 50 years**
Materials & Labor	✓	✓	✓
Tear-off	✓	✓	✓
Disposal		✓	✓
Workmanship			✓***

**NOTE:** XT™25 shingles carry 10 years with 3-STAR, 20 years with 4-STAR and 25 years with 5-STAR coverage, including the features as indicated above.

Fully transferable for 10 years with 3-STAR Coverage, 12 years with 4-STAR Coverage, and 15 years with 5-STAR Coverage.

\*Applies to single-family detached houses. Duration for all other types of structures is limited to 25 years.












\*\*Applies to single-family detached houses. Duration for all other types of structures is limited to 30 years.

\*\*\*Workmanship is covered for 25 years.

**Flat Roof Sections:** If a CertainTeed Flintlastic self-adhered roof system is part of the job, up to 10 squares will be covered for 12, 15 or 20 years depending upon the specific system installed. Refer to the Commercial Systems Specifications Manual for all other Flintlastic systems.



# SELECTION GUIDE

LUXURY SHINGLES			Shingle Construction and Description	UL Class A Fire Resistance Rating	UL Certified to Meet ASTM D3462	UL Certified to Meet ASTM D3018 Type 1	UL 2218 Impact Resistance Rating	ASTM D3161 Wind Resistance
Grand Manor		Two full-size, fiberglass-based shingles with randomly applied tabs; Authentic depth and dimension of natural slate; Virtual five-layer coverage when applied	✓	✓	✓		Class F, 110 mph	
Belmont <small>Impact Resistant Version Available</small>		Single layer, fiberglass-based shingles with randomly applied tabs; Authentic depth and dimension of natural slate	✓	✓	✓	Class 4	Class F, 110 mph	
Carriage House		Two full-size, fiberglass-based shingles; Unique chamfered cut for scalloped appearance; Four-layer coverage when applied	✓	✓	✓		Class F, 110 mph	
Presidential Shake TL		Three-piece laminated fiberglass construction; Distinctive sculpted, rustic look	✓	✓	✓		Class F, 110 mph	
Presidential Shake <small>Impact Resistant Version Available (Select colors)</small>		Three-piece laminated fiberglass construction; Distinctive sculpted, rustic look	✓	✓	✓	Class 4	Class F, 110 mph	
DESIGNER SHINGLES								
Landmark Premium		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓		Class F, 110 mph	
NorthGate <small>ClimateFlex</small>		Two-piece laminated fiberglass-based construction; Greater cold-weather flexibility, increased ductile properties.	✓	✓	✓	Class 4	Class F, 110 mph	
Landmark PRO		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓		Class F, 110 mph	
Landmark		Two-piece laminated fiberglass-based construction; Classic shades and dimensional appearance of natural wood or slate	✓	✓	✓		Class F, 110 mph	
Highland Slate		Single layer fiberglass-based construction; Blended shades and dimensional appearance of natural slate	✓	✓	✓		Class F, 110 mph	
TRADITIONAL SHINGLES								
XT 25		Fiberglass composition; Designed for long-lasting performance and durability	✓	✓	✓		Class F, 110 mph	

\*\* Wind warranty upgrade to 130 mph available.

Miami-Dade Product Control Acceptance	Conforms To CSA Standard A123.5	Limited Transferable Warranty Against Manufacturing Defects On Residential Applications <small>*50-Year on Group-owned or Commercial Applications</small>	StreakFighter algae-resistance Warranty (where available)	SureStart Protection	Wind-Resistance Warranty <small>Upgraded wind warranty available. See warranty for details and limitations</small>	Shingle Size	Bundles Per Square
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
	✓	Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	4
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	5
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	6
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	14 1/4" x 40" 4" Exposure	5
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	4
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
✓	✓	Lifetime*	10-year	10-year	15-year 110 mph **	13 1/4" x 38 3/4" 5 5/8" Exposure	3
✓	✓	Lifetime*	15-year	10-year	15-year 110 mph **	18" x 36" 8" Exposure	3
✓		25-year	10-year	5-year	5-year 60 mph	12" x 36" 5" Exposure	3

CertainTeed starter and CertainTeed hip and ridge required.

## High-Performance Starter

Starter Course shingle specifically for use with Grand Manor, Belmont and Highland Slate—and the only approved installation alternative to using the shingles themselves.

- 10" x 36", 102 lineal ft. per bundle, 34 shingles per bundle
- Provides labor and cost savings by not cutting shingles
- Dual sealant strip for increased wind resistance
- Better look with straight factory-cut eave edge

## Presidential Starter

Required for Presidential Shake TL and Presidential Shake applications.

- 13 1/4" x 40" (required double layer), 36.5 lineal ft. per bundle (based on 2-layer application), 22 shingles per bundle
- Two layers of straight factory-cut eave edge
- Available in the entire Presidential Shake TL and Presidential Shake color line
- Assures Class A fire rating
- Saves significant installation time

## Shangle® Ridge

- Hip and ridge for Grand Manor, Carriage House, Highland Slate and Belmont; 10 lineal ft. per bundle; 15 shingles per bundle

## Shadow Ridge®

- Hip and ridge for Presidential TL, Presidential and Landmark Series; 30 lineal ft. per bundle; 24 shingles per bundle
- Available in [ClimateFlex®](#) version to be used with [ClimateFlex®](#) shingles

## Cedar Crest®

- Hip and ridge for Landmark Series, Presidential Shake, Presidential Shake TL, Highland Slate and Belmont; 20 lineal ft. per bundle

## Ventilation

- CertainTeed Ridge Vent 12" filtered
- CertainTeed Rolled Ridge Vent filtered
- CertainTeed Intake Vent filtered

With a **portfolio of commercial and residential roofing products** and quality standards that lead the industry, you can rest easily knowing CertainTeed has you covered.



**Residential**



**Residential Accessories**



**Solar**



**Commercial**



**Commercial Accessories**



**Liquid-Applied Roofing**



learn more at:

[certainteed.com/roofing](https://certainteed.com/roofing)

Products  
available in  
areas shown



**CertainTeed**

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM

20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 [certainteed.com](https://certainteed.com)

© 01/21 CertainTeed, Printed in the USA, Code No. 20-20-1701